



UNITED STATES PATENT AND TRADEMARK OFFICE

col

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,908	03/25/2004	David Walker Guidry	TI-37090	7410
23494	7590	06/06/2005	EXAMINER	
TEXAS INSTRUMENTS INCORPORATED P O BOX 655474, M/S 3999 DALLAS, TX 75265			JEANGLAUDE, JEAN BRUNER	
			ART UNIT	PAPER NUMBER
			2819	
DATE MAILED: 06/06/2005				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary <i>(Supplemental)</i>	Application No.	Applicant(s)	
	10/808,908	GUIDRY, DAVID WALKER	
	Examiner	Art Unit	
	Jean B. Jeanglaude	2819	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on amendment filed on 1-27-05.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 and 13-23 is/are rejected.
- 7) ☒ Claim(s) 12 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response To amendments/Arguments

1. Applicant's arguments with respect to claims 1- 23 have been considered but are moot in view of the new ground(s) of rejection.

Detailed Action

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1 – 11, 13 – 23 rejected under 35 U.S.C. 103(a) as being unpatentable over Burns (US patent Number 5,589,763) in view of Ryu (US patent Number 5,426,431).
4. Regarding claims 1, 18, 19, Burns discloses a successive approximation system and method, comprising (fig. 5): a memory (218, fig. 5) having a successive approximation value. Burns does not explicitly disclose a successive approximation system and method that comprise a comparison system configured to amplify a difference between a test signal and a signal indicative of the successive approximation value to provide an amplified signal and to convert the amplified signal to a digital signal. However, Ryu, in related field, discloses an Analog/digital converter (fig. 4) that comprises a comparator (32, fig. 4) which includes a differential amplifier 42 which compares the input signals (37) and the output of a second DAC 35 [the differential

Art Unit: 2819

amplifier being part of the comparator as disclosed implies that the comparator 32 amplifies the difference between the two input signals] (see col. 3, lines 34 – 40). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Burns' system with that of Ryu in order to suppress an increase in a circuit area even when a number of conversion bits increases.

5. Regarding claim 2, Burns discloses a successive approximation system (fig. 5), further comprising logic (218, fig. 5) operative to adjust the successive approximation value based on the digital signal (fig. 5).

6. Regarding claims 3, 9, Burns discloses all the limitations as discussed above including a successive approximation system (fig. 5), further comprising a clock source (208, fig. 5) to produce clock signals, a signal generating circuit (200, fig. 5) to generate and output a repetitive test waveform to a device under test in accordance with the clock signals, the device under test outputting the test signal (note test signal), and a pulse generating circuit (212) coupled to the clock circuit for producing sampling point signals corresponding to sampling points spaced across the test signal based on the clock signals (fig. 5) but does not explicitly disclose a successive approximation system a comparison system further comprising a multi-bit analog to digital converter for converting the amplified signal to the digital signal, the multi-bit analog to digital converter having a range, the logic being responsive to adjust the successive approximation value based on the digital signal to place the digital signal within the range of the multi-bit analog to digital converter. However, it is noted in Burns that the input signal (200) may be either an analog or digital signal. In applying a digital signal as

Art Unit: 2819

the input of Burns circuit an artisan in the art would recognize that an ADC will provide the digital signal to Burns' circuit and Burns' circuit comprises a comparator (206) and logic circuit (218) and Ryu, in related field, discloses an Analog/digital converter (fig. 4) that comprises a comparator (32, fig. 4) which includes a differential amplifier 42 which compares the input signals (37) and the output of a second DAC 35. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Burns' system with that of Ryu in order to suppress an increase in a circuit area even when a number of conversion bits increases and the combination of Burns and Ryu's systems would achieve the same end result as the claim invention.

7. Regarding claims 4, and 21 Burns discloses a successive approximation system and method (fig. 5) wherein the logic (218) appends the digital signal to the successive approximation value to increase the resolution of the successive approximation value after the digital signal is within the range of the multi-bit analog to digital converter [it is inherent that the SAR would increase the resolution of the system] (fig. 5).

8. Regarding claims 5, 22, Burns discloses a successive approximation system and method (fig. 5) wherein the logic (218) calibrates the digital signal in accordance with the successive approximation value after the digital signal is within the range of the multi-bit analog to digital converter [it is inherent that the logic would calibrate the digital signal].

9. Regarding claims 6, and 20, Burns discloses a successive approximation system and method (figs. 5, 6), the logic (218) being operative to adjust the successive approximation value based on the digital signal by performing a single bit iteration when

Art Unit: 2819

the amplified signal is outside the range of the multi-bit analog to digital converter, starting with most significant bit first to least significant bit, until the amplified signal is within the range of the multi-bit analog to digital converter (figs. 5, 6).

10. Regarding claim 7, Burns discloses a successive approximation system (fig. 5), the logic (218) being operative to append a value of the digital signal to the least significant bits of the successive approximation value after the amplified signal is within range of the multi-bit analog to digital converter (figs. 5, 6).

11. Regarding claims 8, 23, Burns discloses a successive approximation system and method (fig. 5) the logic (218) calibrating the digital signal according to the successive approximation value (fig. 5)[it is inherent that the logic circuit would calibrate according to the SAR value].

12. Regarding claim 10, Burn discloses a successive approximation system (fig. 5) wherein the sampling point signals sample the test signal at a sample rate less than the Nyquist rate of the test signal (fig. 5).

13. Regarding claim 11, Burns discloses a successive approximation system (fig. 5), further comprising a second clock source (210) producing a second clock signal, the pulse generating circuit (212)[col 5, lines 31 – 34] being operative to determine a frequency ratio between the clock source and the second clock source and to employ the frequency ratio for producing the sampling point signals (fig. 5).

14. Regarding claim 13, Burns discloses a successive approximation system (fig. 5) wherein at least one of the pulse generating circuit (212), memory (218), clock circuit

(209), and signal generating circuit (200) are implemented on the same integrated circuit as the circuit under test (202) and the comparison system (206).

15. Regarding claim 14, Burns discloses a coherent undersampling digitizer (fig. 5), comprising: means (204) for receiving a repetitive test signal from a device under test (202) in accordance with first clock signals, means (the compare result) for producing a difference signal based on the difference between the repetitive test signal and a successive approximation signal means (216) for amplifying the difference signal, and means (220) for converting the amplified difference signal to a multi-bit digital comparison signal (fig. 5).

16. Regarding claim 15, Burns discloses a coherent undersampling digitizer (fig. 5), the means for converting producing a first signal when the amplified difference signal is outside a range of the means for converting, and producing a second signal indicative of magnitude of the amplified difference signal when the amplified difference signal is within the range of the means for converting (fig. 5).

17. Regarding claim 16, Burns discloses a coherent undersampling digitizer (fig. 5, the means (212) for producing sampling point signals being responsive to a ratio between the first clock signals and second clock signals and to generate the successive approximation signal based on the multi-bit digital comparison signal (fig. 5).

18. Regarding claim 17, Burns discloses a coherent undersampling digitizer (fig. 5) the means (212) for producing sampling point signals generating single bit iterations of the successive approximation signal while the first signal is produced and a multi-bit

Art Unit: 2819

iteration of the successive approximation signal when the second signal is produced (fig. 5).

Allowable Subject Matter

19. Claim 12 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

20. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

21. Mercer (US Patent Number 4,394,743) discloses a tone generation method and apparatus using stored reference calibration coefficients.

22. Gagnon (US patent number 4,532,495) discloses a speech digitization system.

23. Veerhoek et al. (US Patent Number 5,057,841) discloses an analog-to-digital converter.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jean B Jeanglaude whose telephone number is 571-272-1804. The examiner can normally be reached on Monday - Friday 7:30 A. M. - 5:00 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Tokar can be reached on 571-272-1812. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2819

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, reading "Jean Bruner Jeanglaude". The signature is written in a cursive, flowing style.

Jean Bruner Jeanglaude
Primary Examiner
May 31, 2005